## ANAESTHESIA AND INTENSIVE CARE

Journal of the Australian Society of Anaesthetists

INDEX Volume 21, 1993

<sup>(</sup>C) indicates correspondence

<sup>(</sup>R) indicates book review

## INDEX

A comparison between direct and calculated oxygen saturation in the intensive care: Johnson P. A., Bihari D. J., Raper R. F., Haughton M. A., Fisher M. M., Herkes R. G., 72

A comparison of caudal epidural bupivacaine with adrenaline and bupivacaine with adrenaline and pethidine for operative and postoperative analgesia in infants and children: Santhosh Kumar T. P., Jacob R., 424

A comparison of effects of fixed and tailored cardiopulmonary bypass flowrates on renal function: Valentine S., Barrowcliffe M., Peacock J., 304

A comparison of three ported cannulae available in New Zealand: Treuren B. C., Yusuf A., Galletly D. C., Robinson B. J., 337

A fatal reaction following scavenged autologous blood transfusion: Azzopardi N., Yabri M., 335

A rabbit model for the evaluation of epidurally administered local anaesthetic agents: Hughes P. J., Doherty M. M., Charman W., 298

A review of anaesthesia for ruptured abdominal aortic aneurysm with special emphasis on preclamping fluid resuscitation: Brimacombe J., Berry J., 311

A survey of cardiopulmonary bypass perfusion practices in Australia

in 1992: Wajon P. R., Walsh R. G., Symons N. L. P., 814 Abstracts of Papers: Abstracts of the Annual Scientific Congress of the Australian and New Zealand College of Anaesthetists-Adelaide, May 10-14, 1993, 463

Abstracts of Papers: Annual Scientific Meeting of the Australian Society of Anaesthetists, Adelaide, South Australia, October 1992,

Abstracts of Papers: 17th Scientific Meeting of the Australian and New Zealand Intensive Care Society, Auckland, New Zealand, October 1992, 704

Achar K. N.; see Achar M. N., 115

Achar M. N., Achar K. N.: Efficacy of ketamine infusion in refractory asthma complicated by acute myocardial infarction, 115

Acute dapsone poisoning: Chawla R., Gurnani A., Bhattacharya A., 349

Acute normovolaemic haemodilution and idiopathic scoliosis surgery: effects on homologous blood requirements: Olsfanger D., Jedeikin R., Metser U., Nusbacher J., Gepstein R., 429

Acute renal failure associated with ketorolac: Smith K., Halliwell R. M. T., Lawrence S., Klineberg P. L., O'Connell P., 700

Adult respiratory distress syndrome, blood transfusion related: Malouf M., Glanville A. R., 44

Adverse reactions to plasma and plasma components: Isbister J. P.,

Air embolism-an analysis of 2000 incident reports: Williamson J. A., Webb R. K., Russell W. J., Runciman W. B., 638

Airway obstruction with a cuffed single-use plastic endotracheal tube: Henderson M. A., 370

Akalin H.: see Tulunay M., 50

Akarsu E. S.: see Tulunay M., 50

Al Hajaj W. H.: see Nott M. R., 879

Alcuronium effect, delayed onset of, in children with cyanotic congenital heart disease: Keneally J., Goonetilleke P. H., Ramzan I. M., 197

Aminoglycoside volume of distribution and illness severity in critically ill septic patients: Marik P. E., 172

Amiodarone pulmonary toxicity, postoperative: Morrow B., Shorten G. D., Sylvester W., 361

An alarm for monitoring CPAP: Carter B., Clare D., Hochmann M., Osborne A., Fraser T., 209

An appraisal of techniques for administration of gaseous nitric oxide: Tibballs J., Hochmann M., Carter B., Osborne A., 844

Anaesthesia for aortoesophageal fistula: Ip Yam P. C., van Heerden N., Wright G., 450

Anaesthesia for laparoscopic general surgery: Chui P. T., Gin T., Oh T. E., 163

Anaesthesia for ruptured abdominal aortic aneurysm with special emphasis on preclamping fluid resuscitation, a review of: Brimacombe J., Berry A., 311

Anaesthesia for urinary diversion with ileal conduit in a patient with Morquio-Brailsford syndrome: Nott M. R., Al Hajaj W. H., 879 Anaesthesia in rural Queensland: a review of experience with the flying obstetric and gynaecology service: Cyna A. M., 831

Anaesthetists and euthanasia: Pollard B., 442

Analgesia after caesarean section with intramuscular ketorolac or pethidine: Gin T., Kan A. F., Lam K. K., O'Meara M. E., 420 Analgesia following arthroscopic knee surgery, a controlled study of intra-articular morphine, bupivacaine or both combined: McSwiney M. M., Joshi G. P., Kenny P., McCarroll S. M., 201 Anaphylactoid reaction to ranitidine in an obstetric patient: Powell

J. A., Maycock E. J., 702

Anaphylactoid reaction to syntocinon: Maycock E. J., Russell W. C., 211

Anaphylaxis, clinical: an analysis of 2000 incident reports: Currie M., Webb R. K., Williamson J. A., Russell W. J., Mackay P., 621

Anderson A. J.: (C), 901 Anderson T. Y .: (C), 898

Antognini J. F.: (C), 123

Aortic surgery, intra-abdominal: combined epidural and general anaesthesia versus general anaesthesia: prospective randomised trial: Davies M. J., Silbert B. S., Mooney P. J., Meads A. C., 790 Aortoesophageal fistula, anaesthesia for: Ip Yam P. C., van Heerden

N., Wright G., 450 Apnoea and oximetric desaturation in patients receiving epidural morphine after gastrectomy: Nozaki-Taguchi N., Oka T., Kochi

T., Taguchi N., Mizuguchi T., 292

Arterial desaturation during induction with and without preoxygenation: evaluation of four techniques: Kashyap L., Yaddanapudi L. N., Sandhya, 811

Asai T.: (C), 886

Ashley J.: see Cade L., 93

(C), 479

See Cade L., 696

Ashley J. E.: see Ross A. W., 280

Assisted ventilation, noninvasive, in hypercapnic respiratory failure: Parkes S. N., Bersten A. D., Holt A. W., Vedig A. E., Worthley L. I., 111

Asthma, refractory, complicated by acute myocardial infarction, efficacy of ketamine infusion in: Achar M. N., Achar K. N., 115 Augustson B.: see van Heerden P., 876

Awareness, patient, during anaesthesia: an analysis of 2000 incident reports: Osborne G. A., Webb R. K., Runciman W. B., 653

Awareness under anaesthesia: the patients' point of view: Cobcroft M. D., Forsdick C., 837

Azzopardi N., Yabri M.: A fatal reaction following scavenged autologous blood transfusion, 335

Background infusion with patient-controlled analgesia: effect on postoperative oxyhaemoglobin saturation and pain control: Russell A. W., Owen H., Ilsley A. H., Kluger M. T., Plummer J. L., 174 Bacterial contamination of blood products, hazards of: Gottlieb T., 20

Baines D. B.: see Henderson M. A., 324

Baines D. B.: see Bright E., 351 Baldo B. A.: (C), 124

Baldo B. A.: see Fisher M., 353 Baldwin L., Henderson A., Wright M., Whitby M.: Spontaneous clostridium pertringens lung abscess unresponsive to penicillin, 117 Baldwin L. N., Galizia E. J.: Bilateral subdural haematomas: A rare diagnostic dilemma following spinal anaesthesia, 120

Ball C.: (R), 725

Ball C.: Cover note-Clover's nitrous oxide ether inhaler 1876, 273 Cover Note-Coleman's combined nasal inhaler and face mask, 389

Cover Note-Hewitt's nitrous oxide-oxygen inhaler, 733

Balson I. G.: see Ross A. W., 280

Barker L.: see Runciman W. B., 543

Webb R. K., Runciman W. B., Van der Walt J. H.: The oxygen analyser: applications and limitations—an analysis of 2000 incident reports, 570

See Runciman W. B., 579

See Clayton D. G., 670

Barnes N.: (C), 257

Barr J.: see Lipman J., 192

Barratt S. McG.: (C), 901

Barrowcliffe M.: see Valentine S., 304 Beath B. J.: see Machlin H. A., 409

Beavis R. E.: (C), 123

Beilby D. S.: see Scott D. A., 284

Bendtzen K.: see Tønnesen E., 752

Bergin P.: see Buckland M. R., 344

Berry A.: see Brimacombe J., 311 See Brimacombe J., 225

(C), 379

(C), 475

(C), 723

(C), 889

(C), 893 (C), 897

Berry C. B.: see Machlin H. A., 409

Berry F. R.: (C), 129

Bersten A. D., Rutten A. J., Vedig A. E.: Efficacy of pressure support in compensation for apparatus work, 67

See Parkes S. C., 111

(C), 131

Bhattacharya A.: see Chawla R., 349

Bihari D. J.: see Johnson P. A., 72

Bilateral lingual nerve injury following tracheal intubation: Brimacombe J., 107

Bilateral pneumothorax and surgical emphysema associated with laparoscopic cholecystectomy: Woolner D. F., Johnson D. M., 108 Bilateral subdural haematomas: A rare diagnostic dilemma following

spinal anaesthesia: Baldwin L. N., Galizia E. J., 120

Biswas T. K.: (C), 127

Blake D. W.: see Petring O. U., 774

Blood pressure monitoring-applications and limitations: an analysis of 2000 incident reports: Cockings J. G. L., Webb R. K., Klepper I. D., Currie M., Morgan C., 565

Blood products, hazards of bacterial contamination of: Gottlieb T., 20 Blood transfusion-related adult respiratory distress syndrome: Malouf M., Glanville A. R., 44

Bodlander F. M. S.: (C), 480

Bond A., Nussey A.: Clinical prediction of a difficult intubation, 358 Obesity and difficult intubation, 828

Bond G. M.: (C), 256

Borges M.: (C), 123

Bourne R. A.: (C), 890

Bowers A. J.: see Riley R. H., 474

Boyle R. K.: Quality assessment in personal anaesthetic practice, 331 Brachial plexus block, axillary: effect on latency of onset of warm local anaesthetic: Chilvers C. R., 795

Breatnach F.: see Victory R., 366

Briedis J. H.: (C), 259

Bright E., Baines D. B., French B. G., Cartmill T. B.: Upper limb amputation following radial artery cannulation, 351

Brimacombe J.: Nominvasive monitoring of tidal volume with an extensometer: laboratory and clinical studies, 62

Berry A.: A review of anaesthesia for ruptured abdominal aortic aneurysm with special emphasis on preclamping fluid resuscitation,

Berry A.: Insertion of the laryngeal mask airway-a prospective study of four techniques, 89

Bilateral lingual nerve injury following tracheal intubation, 107 Swan H.: Displacement of a Celestin tube: an unusual cause of difficult intubation, 224

Berry A.: The laryngeal mask airway-the first ten years, 225

(C), 379 (C), 475

(C), 723

(C), 889

(C), 893 (C), 897

Bronchospasm after esmolol and neostigmine: Sun K. O., 457 Brooker C. D., Lawson A. D.: Convulsions following bupivacaine infiltration for excision of carotid body tumour, 877

Brownridge P.: (R), 724

Bryce A.: see Levinson M., 85

Buckland M. R.: see Myles P. S., 56

See Weeks A. M., 151

Bergin P., Esmore D.: Transoesophageal echocardiography aids insertion and management of the "Thoratec" ventricular assist device, 344

Butler P. J.: (C), 260

See Machlin H. A., 409

Byth P. L.: Editorial: From the President, Australian and New Zealand Intensive Care Society, 11

Cade L., Ashley J.: Prophylactic paracetamol for analgesia after vaginal termination of pregnancy, 93 (C), 479

(C), 480

Ashley J.: Towards optimal analgesia after caesarean section: comparison of epidural and intravenous patient-controlled opioid analgesia, 696

(C), 721

Caesarean section, towards optimal analgesia after: comparison of epidural and intravenous patient-controlled opioid analgesia, 696 Cannon G. B.: see Myles P. S., 56

Capes D. F.: see Eagle C. C. P., 444
Capillary wedge pressure in ventilated patients, the systolic blood pressure variation as an indicator of pulmonary: Marik P. E., 405 Capnograph, the: applications and limitations—an analysis of 2000 incident reports: Williamson J. A., Webb R. K., Cockings J., Morgan C., 551

Cardiac and respiratory complications of mediastinal lymphomas: Victory R., Casey W., Doherty P., Breatnach F., 366

Cardiac arrest-an analysis of 2000 incident reports: Morgan C. A., Webb R. K., Cockings J., Williamson J. A., 626

Cardiopulmonary bypass and protamine administration, complement (C3, C4) and C-reactive protein responses to: Tulunay M., Demiralp S., Tastan S., Akalin H., Ozyurda U., Corapcioglu T., 50

Cardiopulmonary bypass flowrates on renal function, a comparison of effects of fixed and tailored: Valentine S., Barrowcliffe M., Peacock J., 304

Caroff S. N.: (C), 477

Carotid body tumour, convulsions following bupivacaine infiltration for excision of: Brooker C. D., Lawson A. D., 877

Carroll G.: (C), 377

Carter B., Clare D., Hochmann M., Osborne A., Fraser T.: An alarm for monitoring CPAP, 209

See Tibballs J., 844

Cartmill T. B.: see Bright E., 351

Casey W.: see Victory R., 366

Cass N.: (R), 382

(R), 484

(R), 902

Caudal block, "whoosh" test as a teaching aid in: Chan S. Y., Tay H. B. D., Thomas E., 414

Caudal epidural bupivacaine with adrenaline and bupivacaine with pethidine for operative and postoperative analgesia in infants and children, a comparison of: Santhosh Kumar T. P., Jacob R., 424

Celestin tube, displacement of a: an unusual cause of difficult intubation: Brimacombe J., Swan H., 224

Central anticholinergic syndrome following reversal of neuromuscular blockade: Sun K. O., 363

Chamley D.: (C), 128

Chan M.: (C), 132

Chan M. S. H.: (C), 130

(C), 899

Chan S. Y., Tay D. H. B., Thomas E.: "Whoosh" test as a teaching aid in caudal block, 414

Charman W.: see Hughes P. J., 298

Chawla R., Gurnani A., Bhattacharya A.: Acute dapsone poisoning,

Chemical dependence in anaesthetic registrars in Australia and New Zealand: Weeks A. M., Buckland M. R., Morgan E. B., Myles P. S., 151

Chester S. C.: see Ross A. W., 280

Chilvers C. R.: Warm local anaesthetic-effect on latency of onset of axillary brachial plexus block, 795

Chong K. Y .: see Tweed W. A., 806

Chui P. T., Gin T., Oh T. E.: Anaesthesia for laparoscopic general surgery, 163

Chung D. C .: (C), 261

Clare D.: see Carter B., 209

Clark R. J.: (C), 898

Clarke G. M.: see Harrison G. A., 854

Clarke G. M.: see Watkins D. N., 861

Harrison G. A.: The training/examination programme in intensive care. Australian and New Zealand College of Anaesthetists 1. training, 848

Clayton D. G., Barker L., Runciman W. B.: Evaluation of safety procedures in anaesthesia and intensive care, 670

Clinical anaphylaxis: an analysis of 2000 incident reports: Currie M., Webb R. K., Williamson J. A., Russell W. J., Mackay P., 621 Clinical applications of gaseous nitric oxide: Tibballs J., 866

Clinical prediction of a difficult intubation: Bond A., Nussey A., 358 Clostridium pertringens, spontaneous lung abscess unresponsive to penicillin: Baldwin L., Henderson A., Wright N., Whitby M., 117

Cobcroft M. D., Forsdick C.: Awareness under anaesthesia: the patients' point of view, 857

Cockings J.: see Webb R. K., 529

See Williamson J. A., 551

See Klepper I., 575 See Morgan C. A., 626

Cockings J. G. L., Webb R. K., Klepper I. D., Currie M., Morgan C.: Blood pressure monitoring-applications and limitations: an analysis of 2000 incident reports, 565

Cognitive function during moderate hypoxaemia: Noble J., Jones J. G., Davis E. J., 181

Combined epidural and general anaesthesia versus general anaesthesia for intra-abdominal aortic surgery: a prospective randomised trial: Davies M. J., Silbert B. S., Mooney P. J., Meads A. C., 790

Complement (C3, C4) and C-reactive protein responses to cardiopulmonary bypass and protamine administration: Tulunay M., Demiralp S., Tastan S., Akalin H., Ozyurda U., Corapcioglu T., Akarsu E. S., 50

Cone A.: (C), 891

Continuous intrathecal analgesia with opioid/local anaesthetic mixture for cancer pain: Goucke C. R., 222

Convulsions following bupivacaine infiltration for excision of carotid body tumour: Brooker C. D., Lawson A. D., 877

Cooper J.: see Lipman J., 192

Cooper M. G.: (C), 253

Corapcioglu T.: see Tulunay M., 50

Corke C .: (R), 902

Corke P. J., Murray G.: Angio-oedema with droperidol, 375 Watters G. R.: Treatment of priapism with epidural anaesthesia, 882 Costello T.: (C), 253

(C), 886

Cover Note-Cattlin's bag and Clover's facepiece for nitrous oxide anaesthesia: Westhorpe R., 3

Cover Note-Coleman's combined nasal inhaler and facemask: Ball

Cover Note-Hewitt's nitrous oxide-oxygen inhaler: Ball C., 733 Cover Note-The Weller-Ash nitrous oxide apparatus: Westhorpe R., 493

Cover Note—Clover's nitrous oxide ether inhaler 1876: Ball C., 273 Cover Note-Hewitt's stopcock for nitrous oxide anaesthesia: Westhorpe R., 143

Cowling J.: (C), 476

CPAP monitoring, an alarm for: Carter B., Clare D., Hochmann M., Osborne A., Fraser T., 209

Craig M., Nichols A.: Editorial: Anaesthesia in rural practice, 395 Nichols A: Education for general practitioners proposing to administer anaesthesia in rural general practice-a curriculum statement, 432

Cranial computed tomography in the assessment of neurological complications in critically ill patients with systemic lupus erythematosus: Yang W. T., Daly B. D., Li E. K., Hutchinson R.,

Crisis management—validation of an algorithm by analysis of 2000 incident reports: Runciman W. B., Webb R. K., Klepper I. D., Lee R., Williamson J. A., Barker L., 579

Curarisation, residual postoperative: incidence, aetiology and associated morbidity: Shorten G. D., 782

Currie M.: see Runciman W. B., 506

See Webb R. K., 520

See Runciman W. B., 543

See Ludbrook G. L., 558

See Cockings J. G. L., 565 Mackay P., Morgan C., Runciman W. B., Russell W. J., Sellen A., Webb R. K., Williamson J. A.: The "wrong drug" problem in anaesthesia: an analysis of 2000 incident reports, 596

Webb R. K., Williamson J. A., Russell W. J., Mackay P.: Clinical anaphylaxis: an analysis of 2000 incident reports, 621

Cyanotic congential heart disease, delayed onset of alcuronium effect in children with: Keneally J., Goonetilleke P. H., Ramzan I. M., 197 Cyna A. M.: Anaesthesia in rural Queensland: a review of experience with the flying obstetric and gynaecology service, 831

Cytokines in plasma and ultrafiltrate during continuous arteriovenous haemofiltration: Tønnesen E., Hansen M. B., Höhndorf K., Diamant M., Bendtzen K., Wanscher M., Toft P., 752

Daly B. D.: see Yang W. T., 400

Daly D.: (C), 474

Davies M. J., McGlade D. P.: One hundred sciatic nerve blocks: a

comparison of localisation techniques, **76**Silbert B. S., Mooney P. J., Meads A. C.: Combined epidural and general anaesthesia versus general anaesthesia for intra-abdominal aortic surgery: a prospective randomised trial, 790

Davis B. B.: see Myles P. S., 56

Davis E. J.: see Noble J., 180

Day care surgery outcome after, in a major teaching hospital: Osborne G. A., Rudkin G. E., 822

Deam R. K., Scott D. A.: Neurological damage resulting from extracorporeal shock wave lithotripsy when air is used to locate the epidural space, 455

DeLima J. C.: (C), 253

Delayed onset of alcuronium effect in children with cyanotic congential heart disease: Keneally J. P., Goonetilleke P. H., Ramzan I. M., 197

Demiralp S.: see Tulunay M., 50

Dhara S. S.: (C), 260

Diamant M.: see Tønnesen E., 752

Diathermy and the teletronics "META" pacemaker: Smith C. L., Frawley G., Hamer A., 452

Difficult intubation, clinical prediction of a: Bond A., Nussey A., 358 Difficult intubation: an analysis of 2000 incident reports: Williamson J. A., Webb R. K., Szekely S., Gillies E. R. N., Dreosti A. V., 602

Displacement of a celestin tube: an unusual cause of difficult intubation: Brimacombe J., Swan H., 224

Dobb G.: (R), 263

(R), 726

Doherty M. M.: see Hughes P. J., 298

Doherty P.: see Victory R., 366

Don't turn the needle: Duffy B. L., 328

Dopamine, effect of "renal dose" on renal function following cardiac surgery: Myles P. S., Buckland M. R., Schenk N. J., Cannon G. B., Langley M., Davis B. B., Weeks A. M., 56

Dreosti A. V.: see Williamson J. A., 602 Duffy B. L.: Don't turn the needle, 328

(C), 377 Duke G.: (C), 131

Duke G. J.: (C), 259

Duncan A.: (R), 484

deMello W. F.: (C), 482

Eagle C. C. P., Capes D. F.: Use of new syringe pump (springfusor) for muscle relaxant infusion, 444 (C), 886

Early use of streptokinase after minor laryngeal surgery: Riley R. H., Bowers A. J., Grey P. L., 871

Edibam C.: see van Heerden P., 876

Editorial: Hains J., 502

Editorial: Anaesthesia in rural practice: Craig M., Nichols A., 395 Editorial: Disk submissions: Thirlwell Jones J., 279

Editorial: Presenting the AIMS data—some trade-offs: Holland R., Runciman W. B., 505

Editorial: Qualitative versus quantitative research—balancing cost, yield and feasibility: Runciman W. B., 502

Editorial: Safety standards and their promotion: Roberts J. G., **502** Editorial: Symposium—The Australian Incident Monitoring Study: Holland R., **501** 

Editorial: Substance abuse in anaesthetic staff: the kraken wakes: Roberts J. R., 149

Editorial: And now we are twenty: Roberts J. G., 9

Editorial: From the President, Australian Society of Anaesthetists: Hains J. W., 9

Australian and New Zealand Intensive Care Society: Blyth P. L., 11 Edlin S.: (R), 902

Education for general practitioners proposing to administer anaesthesia in rural general practice—a curriculum statement: Craig M., Nichols A., 432

Edwards R. M.: (C), 258

Effect of "renal-dose" dopamine on renal function following cardiac surgery: Myles P. S., Buckland M. R., Schenk N. J., Cannon G. B., Langley M., Davis B. B., Weeks A. M., 56

Efficacy of ketamine infusion in refractory asthma complicated by acute myocardial infarction: Achar M. N., Achar K. N., 115

Efficacy of pressure support in compensating for apparatus work: Bersten A. D., Rutten A. J., Vedig A. E., 67

Electrocardiograph, the: applications and limitations—an analysis of 2000 incident reports: Ludbrook G. L., Russell W. J., Webb R. K., Klepper I. D., Currie M., 558

Ellis F. R.: (C), 894

Emergency caesarean section under general anaesthesia, vecuronium thiopentone induction for: Teviotdale B. M., 288

Emmanuel E. R.: (C), 380

End-tidal oxygen measurement compared with patient factor assessment for determining preoxygenation time: Machlin H. A., Myles P. S., Berry C. B., Butler P. J., Story D. A., Beath B. J., 409

Endotracheal tube, problems related to the: an analysis of 2000 incident reports: Szekely S., Webb R. K., Williams J. A., Russell W. J., 611

Enteral feeding, gastric colonisation and diarrhoea in the critically ill patient: Is there a relationship?: Levinson M., Bryce A., 85 Environmental safety and physical injuries in anaesthesia: an analysis of 2000 incident reports: Singleton R. J., Webb R. K., Ludbrook

G. L., Fox M. A. L., 659 Epidural catheter insertion: the effect of saline prior to threading in non-obstetric patients: Scott D. A., Beilby D. S., 284

Epidural morphine after gastrectomy, apnoea and oximetric desaturation in patients receiving, a comparison of intermittent bolus and patient-controlled administration: Nozaki-Taguchi N., Oka T., Kochi T., Taguchi N., Mizuguchi T., 292

Epidurally administered local anaesthetic agents, a rabbit model for the evaluation of: Hughes P. J., Doherty M. M., Charman W. N., 298

Equipment failure: an analysis of 2000 incident reports: Webb R. K., Russell W. J., Klepper I. D., Runciman W. B., 673

Errors, incidents and accidents in anaesthetic practice: Runciman W. B., Sellen A., Webb R. K., Williamson J. A., Currie M., Morgan

C., Russell W. J., 506

Esmolol and neostigmine, bronchospasm after: Sun K. O., 457

Esmore D.: see Buckland M. R., 344

Eugster D.: (C), 892

Euthanasia, anaesthetists and: Pollard B., 442

Evaluation of safety procedures in anaesthesia and intensive care: Clayton D. G., Barker L., Runciman W. B., 670

Extensometer, noninvasive monitoring of tidal volume with an: laboratory and clinical studies: Brimacombe J., 62

Extracorporeal shockwave lithotripsy when air used to locate the epidural space, neurological damage resulting from: Deam R. K., Scott D. A., 455

Failure, equipment: an analysis of 2000 incident reports: Webb R. K., Russell W. J., Klepper I. D., Runciman W. B., 673

Human: an analysis of 2000 incident reports: Williamson J. A., Webb R. K., Sellen A., Runciman W. B., Van der Walt J. H., 678 System: an analysis of 2000 incident reports: Runciman W. B., Webb R. K., Lee R., Holland R., 684

Farnill D.: see Inglis S., 799

Fatal anaphylactic reactions during anaesthesia, the diagnosis of: employment of immunoassays for mast-cell tryptase and drugreactive IgE antibodies: Fisher M. McD., Baldo B. A., 353

Findlay J. Y.: (C), 262

Fisher M.: (R), 134 Fisher M. McD.: (R), 136

Fisher M.: (C), 124

Baldo B. A.: The diagnosis of fatal anaphylactic reactions during anaesthesia: employment of immunoassays for mast-cell tryptase and drug-reactive IgE antibodies, 353 Fisher M. M.: see Johnson P. A., 72

Fleming J. A.: (C), 885

Flying Obstetric and Gynaecology Anaesthesia Service in rural Queensland: clinical experience with: Cyna A. M., 831

Forsdick C.: see Cobcroft M. D., 857

Fortuna A.: (C), 483

Fortuna A. O.: (C), 483

Fox M., Webb R. K., Singleton R., Ludbrook G., Runciman W. B.: Problems with regional anaesthesia: an analysis of 2000 incident reports, 646

See Singleton R. J., 659 See Singleton R. J., 664

Fox M. A.: see Ludbrook G. L., 593

Fraser T.: see Carter B., 209
Frawley G.: see Smith C. L., 452

Frazer R. S.: (C), 377

French B. G.: see Bright E., 351

French C. J.: (C), 720 Galizia E. J.: see Baldwin L. N., 120

Galletly D. C.: see Treuren B. C., 337

Gastric emptying in adults: an overview related to anaesthesia: Petring O. U., Blake D. W., 774

Geoffrey Kaye Oration, The: Richards J., 227

Gepstein R.: see Olstanger D., 429

Gibb D.: (R), 902

Gillies E. R. N.: see Williamson J. A., 602

Gin T.: see Chui P. T., 163

(C), 256

Kan A. F., Lam K. K., O'Meara M. E.: Analgesia after caesarean section with intramuscular ketorolac or pethidine, 420

Glanville A. R.: see Malouf M., 44

Gomedical PCI, laboratory evaluation of the: a disposable patientcontrolled analgesia device: Mackey N. A., Ilsley A. H., Owen H., Plummer J. L., 204

Goonetilleke P. H.: see Keneally J. P., 197

Gottlieb T.: Hazards of bacterial contamination of blood products, 20 Goucke C. R.: Continuous intrathecal analgesia with opioid/local anaesthetic mixture for cancer pain, 222

Grange C.: (C), 124

Grant I. S.: see Rowbottom S. J., 372

Greenhalgh C.: see Ross A. W., 280

Grey P. L.: see Riley R. H., 871

Gurnani A.: see Chawla R., 349

Haemofiltration, arteriovenous continuous, cytokines in plasma and ultrafiltrate during: Tønnesen T., Hansen M. B., Höhndorf K., Diamant M., Bendtzen K., Wanscher M., Toft P., **752** 

Hains J.: Editorial, 502

Hains J. W.: Editorial: From the President, Australian Society of Anaesthetists, 9

Halliwell R. M. T.: see Smith K., 700

Hassall P. J.: (C), 894

Hamer A.: see Smith C. L., 452

Hansen M. B.: see Tønnesen E., 752

Hare R. M.: (C), 477

Harrison G. A.: see Clarke G. M., 848

Clarke G. M.: The training/examination programme in intensive care, Australian and New Zealand College of Anaesthetists 2. Examination, 854

Hatch P.: (C), 481

Haughton M. A.: see Johnson P. A., 72

Hazards of bacterial contamination of blood products: Gottlieb T., 20

Heerden N. V.: see Yam P. I., 450

Hellings M. J.: see Whitby M. E., 342

Helps S.: see Webb R. K., 529

Henderson A.: see Baldwin L., 117 (C), 895

(C), 895

Henderson M. A., Baines D. B., Overton J. H.: Parental attitudes to presence at induction of paediatric anaesthesia, 324 Airway obstruction with a cuffed single-use plastic endotracheal

tube, 370 (C), 723

Herkes R. G.: see Johnson P. A., 72

High-dose adrenaline in adult in-hospital asystolic cardiopulmonary resuscitation: a double-blind randomised trial: Lipman J., Wilson W., Kobilski S., Scribante J., Lee C., Kraus C. P., Barr J., Cooper Moyes J. D., 193

Hill A.: (C), 126

Hill V.: (C), 895 Hillman K.: (R), 135

(R). 263

Historical note: Halothane: Ave Atque Vale: O'Brien H. D., 101 Hochmann M.: see Carter B., 209

See Tibballs J., 844

Hodges M.: (C), 255

(C), 478

(C), 478

Hodgson M. J.: Editorial: From the President, Australian and New Zealand College of Anaesthetists, 10

Höhndorf K.: see Tønnesen E., 752

Holland R.: Editorial: Symposium—The Australian Incident Monitoring Study, **501** 

Runciman W. B.: Editorial: Presenting the AIMS data—some trade-offs, 505

Webb R. K., Runciman W. B.: Oesophageal intubation: an analysis of 2000 incident reports, 608

See Runciman W. B., 684

Holloway A. M.: (C), 256

Holt A. W.: see Parkes S. C., 111

Hopkins P. M.: (C), 894

Howard W. V.: (C), 126

Hughes P. J., Doherty M. M., Charman W.: A rabbit model for the evaluation of epidurally administered local anaesthetic agent, 298

Human failure: an analysis of 2000 incident reports: Williamson J. A., Webb R. K., Sellen A., Runciman W. B., Van der Walt J. H., 678

Hutchinson R.: see Yang W. T., 400

Hutchinson R. C.: see Ross A. W., 280

Hyndman J.: (C), 254

Hyperinflation, lung, tidal volume and arterial oxygenation during general anaesthesia: Tweed W. A., Chong K. Y., Lee T. L., Phua W. T., Lim E., 806

Hypoglycaemia and shivering, severe postoperative: Sun K. O., 873 Hypoxaemia, moderate, cognitive function during: Noble J., Jones J. G., Davis E. H., 180 Ilsley A. H.: see Russell A. W., 174

See Mackey N. A., 204

Immunotherapy, monoclonal antibodies, for the critically ill: Peake S., 739

Incidents, accidents and errors in anaesthetic practice: Runciman W. B., Sellen A., Webb R. K., Williamson J. A., Currie M., Morgan C., Russell W. J., 506

Paediatric, in anaesthesia: an analysis of 2000 incident reports: Van der Walt J. H., Sweeney D. B., Webb R. K., 655

Induction of anaesthesia, problems before: an analysis of 2000 incident reports: Ludbrook G. L., Webb R. K., Fox M. A. L., Singleton R. J., 593

Induction of paediatric anaesthesia, parental attitudes to presence at: Henderson M. A., Baines D. B., Overton J. H., 324

Inglis S., Farnill D.: The effects of providing preoperative statistical anaesthetic—risk information, 799

Inhaled nitric oxide in severe acute respiratory failure—its use in intensive care and description of a delivery system: Watkins D. N., Jenkins I. R., Rankin J. M., Clarke G. M., 861

Insertion of the laryngeal mask airway—a prospective study of four techniques: Brimacombe J., Berry A., 89

Intensive care, the training/examination programme in, Australian and New Zealand College of Anaesthetists 2. Examination: Harrison G. A., Clarke G. M., 854

The training/examination programme in, Australian and New Zealand College of Anaesthetists 1. Training: Clarke G. M., Harrison G. A., 848

Intensive care utilisation: the Baragwanath experience: Marik P. E., Kraus P., Lipman J., 396

Intrathecal analgesia, continuous, with opioid/local anaesthetic mixture for cancer pain: Goucke R., 222

Intubation, difficult: an analysis of 2000 incident reports: Williamson J. A., Webb R. K., Szekely S., Gillies E. R. N., Dreosti A. V., **602** Oesophageal: an analysis of 2000 incident reports: Holland R., Webb R. K., Runciman W. B., **608** 

Difficult, obesity and: Bond A., 828 Isbister J. P.: Adverse reactions to plasma and plasma components, 31

Jacob R.: see Santhosh Kumar T. P., 424

Jedeikin R.: see Olsfanger D., 429 Jenkins I. R.: (C), 129

(C), 375

See van Heerden P., 447

See Watkins D. N., 861

Johnson D. M.: see Woolner D. F., 108

Johnson P. A., Bihari D. J., Raper R. F., Haughton M. A., Fisher M. M., Herkes R. G.: A comparison between direct and calculated oxygen saturation in the intensive care, 72

Jones J. G.: see Noble J., 180

Jones M. E.: (R), 135

Joshi G. P.: see McSwiney M. M., 201

Joyce C.: (C), 131

Kan A. F.: (C), 130

See Gin T., 420

Kashyap L., Yaddanapudi L. N., Sandhya: Arterial desaturation during induction with and without preoxygenation: evaluation of four techniques, 811

Kawamoto M., Sakimura S., Takasaki M.: Transient increase of parsympathetic tone in patients with cervical spinal cord trauma, 218

Kawasaki disease and anaesthesia: Waldron R. J., 213

Keneally J. P., Goonetilleke P. H., Ramzan I. M.: Delayed onset of alcuronium effect in children with cyanotic congenital heart disease, 197

Kennedy R.: (C), 128

Kenny P.: see McSwiney M. M., 201

 Ketamine, infusion, efficacy of, in refractory asthma complicated by acute myocardial infarction: Achar M. N., Achar K. N., 115
 Ketorolac, intramuscular, acute renal failure associated with: Smith K., Halliwell R. M. T., Lawrence S., Klineberg P. L., O'Connell P. 700

Ketorolac or pethidine, intramuscular, analgesia after caesarean

section with: Gin T., Kan A. F., Lam K. K., O'Meara M. E., 420 Khoo S. T.: (C), 249

King M.: (C), 479

Klepper I., Webb R. K., Van der Walt J., Ludbrook G. L., Cockings J.: The stethoscope: applications and limitations—an analysis of 2000 incident reports, 575 See Webb R. K., 673

Klepper I. D.: see Ludbrook G. L., 558

See Cockings J. G. L., 565 See Runciman W. B., 579

Klineberg P. L.: see Smith K., 700 Kluger M. T.: see Russell A. W., 174

(C), 247

Knee surgery, arthroscopic, analgesia following, a controlled study of intra-articular morphine, bupivacaine or both combined: McSwiney M. M., Joshi G. P., Kenny P., McCarroll S. M., 201 Kobilski S.: see Lipman J., 192

Kochi T.: see Nozaki-Taguchi N., 292

Kong A. S.: (C), 132

(C), 261

Kraus P.: see Lipman J., 192

Kraus P.: see Marik P. E., 396

Laboratory evaluation of the gomedical P.C.I.: a disposable patientcontrolled analgesia device: Mackey N. A., Ilsley A. H., Owen H., Plummer J. L., 204

Lake P. J.: (C), 251

Lam K. K .: see Gin T., 420

Langley M.: see Myles P. S., 56

Laparoscopic cholecystectomy, bilateral pneumothorax associated with: Woolner D. F., John D. M., 108

Laparoscopic general surgery, anaesthesia for: Chui P. T., Gin T., Oh T. E., 163

Laryngeal mask airway, insertion of the: A prospective study of four techniques: Brimacombe J., Berry A., 89

The-the first ten years: Brimacombe J., Berry A., 225

Lawrence S.: see Smith K., 700

Lawson A. D.: see Brooker C. D., 877

Lee C.: see Lipman J., 192

Lee R.: see Runciman W. B., 579

See Runciman W. B., 684 Lee T. L.: see Tweed W. A., 806

Leighton B. L.: (C), 900

Leukodepleted blood components: Thomson A. R., 39

Levinson M., Bryce A.: Enteral feeding, gastric colonisation and diarrhoea in the critically ill patient: Is there a relationship?, 85

Li E. K.: see Yang W. T., 400 Lim E. T.: see Tweed W. A., 806

Lingual nerve injury, bilateral, following tracheal intubation: Brimacombe J., 107

Lipman J., Wilson W., Kobilski S., Scribante J., Lee C., Kraus P., Cooper J., Barr J., Moyes D.: High-dose adrenaline in adult inhospital asystolic cardiopulmonary resuscitation: a double-blind randomised trial, 192

See Marik P. E., 396

Lockey D.: (C), 256

Ludbrook G.: see Fox M., 646

Ludbrook G. L., Russell W. J., Webb R. K., Klepper I. D., Currie M.: The electrocardiograph: applications and limitations-an analysis of 2000 incident reports, 558

See Klepper I., 575

Webb R. K., Fox M. A., Singleton R. J.: Problems before induction of anaesthesia: an analysis of 2000 incident reports, 593 See Singleton R. J., 659

See Singleton R. J., 664

Ludwig's angina causing respiratory arrest in a patient in the Solomon Islands: Sparks C. J., 460

Lung abscess, spontaneous clostridium perfringens, unresponsive to penicillin: Baldwin L., Henderson A., Wright M., Whitby M., 117

Machlin H. A., Myles P. S., Berry C. B., Butler P. J., Story D. A., Beath B. J.: End-tidal oxygen measurement compared with patient factor assessment for determining preoxygenation time, 409

Mackay P.: see Webb R. K., 520

See Currie M., 596

See Currie M., 621

See Van der Walt J. H., 650

Mackey N. A., Ilsley A. H., Owen H., Plummer J. L.: Laboratory evaluation of the gomedical P.C.I.: a disposable patient-controlled analgesia device, 204

Mackie D. S.: (R), 264

Malouf M., Glanville A. R.: Blood transfusion-related adult respiratory distress syndrome, 44

Mann S. C.: (C), 477
Marik P. E.: Aminoglycoside volume of distribution and illness severity in critically ill septic patients, 172

Kraus P., Lipman L.: Intensive care utilisation: the Baragwanath experience, 396

The systolic blood pressure variation as an indicator of pulmonary capillary wedge pressure in ventilated patients, 405

Massive intraoperative pulmonary thromboembolism treated by pulmonary embolectomy: Whitby M. E., Hellings M. J., 342 Matthews A. J.: (C), 256

Mawter D.: (C), 888

Maycock E. J., Russell W. C.: Anaphylactoid reaction to syntocinon, 211

See Powell J. A., 702

McCarroll S. M.: see McSwiney M. M., 201

McCrae A.: (C), 376

McFarlane C.: (C), 376

McGlade D. P.: see Davies M. J., 76

See Ross A. W., 280

McGrath M.: (C), 480 McLeod B.: (R), 134

McLeod D.: (C), 129

McSwiney M. M., Joshi G. P., Kenny P., McCarroll S. M.: Analgesia following arthroscopic knee surgery. A controlled study of intraarticular morphine, bupivacaine or both combined, 201 Meads A. C.: see Davies M. J., 790

Mediastinal lymphomas, cardiac and respiratory complications of: Victory R. A., Casey W., Doherty P., Breathnach F., 366

Metser U.: see Olstanger D., 429

Meyer R. J.: (C), 900

Michael A.: (C), 475

Miller M. T.: (C), 257

Mizuguchi T.: see Nozaki-Taguchi N., 292

Molnar R.: (C), 253

(C), 886

Monitor, which? An analysis of 2000 incident reports: Webb R. K., Van der Walt J. H., Runciman W. B., Williamson J. A., Cockings J., Russell W. J., Helps S., 529

Monoclonal antibodies—immunotherapy for the critically ill: Peake S., 739

Mooney P. J.: see Davies M. J., 790

Morbidity and mortality, transfusion: Nicholls M. D., 15

Morgan C.: (C), 892

See Runciman W. B., 506

See Williamson J. A., 551 See Cockings J. G. L., 565

See Currie M., 596

See Van der Walt J. H., 650

Morgan C. A., Webb R. K., Cockings J., Williamson J. A.: Cardiac arrest-an analysis of 2000 incident reports, 626

Morgan C. M.: see Webb R. K., 520 Morgan E. B.: see Weeks A. M., 151

Morphine subarachnoid, the influence of adrenaline on postoperative analgesia after: Paech M. J., 79

Morquio-Brailsford syndrome, anaesthesia for urinary diversion with ileal conduit in a patient with: Nott M. R., Al Hajaj W. H., 879

Morris R.: (R), 266

Morris R. W.: (C), 723

Morrow B., Shorten G. D., Sylvester W.: Postoperative amiodarone pulmonary toxicity, 361

Moyes D.: see Lipman J., 192

Mui K. S.: (C), 130

Murray G.: see Corke P. J., 375

Murray R. S.: (C), 480

Murray W. B.: (C), 260

Muscle relaxant infusion, use of new syringe pump (springfusor) for:

Eagle C. C. P., Capes D. F., 444

Myles P. S., Buckland M. R., Schenk N. J., Cannon G. B., Langley M., Davis B. B., Weeks A. M.: Effect of "renal-dose" dopamine on renal function following cardiac surgery, 56

See Weeks A. M., 151

(C), 255

See Machlin H. A., 409

Navaratnam S.: (C), 250

Neurological complication in critically ill patients with systemic lupus erythematosus, cranial computed tomography in the assessment of: Tang W. T., Daly B. D., Li E. K., Hutchinson R., 400

Neurological damage resulting from extracorporeal shockwave lithotripsy when air is used to locate the epidural space: Deam R. K., Scott D. A., 455

Neuromuscular bloclade, central anticholinergic syndrome following reversal of: Sun K. O., 363

Newcombe G.: (R), 134

(R), 904

Newland P. E .: (R), 265

Ngan Kee W. D.: (C), 247

Nicholls M. D.: Symposium: Hazards of blood transfusion. Editorial: How safe is blood?, 13

Transfusion: morbidity and mortality, 15

Whyte G.: Red cell, plasma and albumin transfusion decision triggers, 156

Nichols A.: see Craig M., 395

Nichols A.: see Craig M., 432

Nitric oxide, gaseous, clinical applications of: Tibballs J., 866 Nitric oxide, inhaled, in severe acute respiratory failure—its use in

intensive care and description of a delivery system: Watkins D. N., Jenkins I. R., Rankin J. M., Clarke G. M., 861

Gaseous: an appraisal of techniques for administration of: Tibballs J., 844

Nitric oxide (formerly endothelium-derived relaxing factor (EDRF)), the role of in vasodilatation and vasodilator: Tibballs J., 759 Nigerian Scam: Roberts J. G., 122

Noble J., Jones J. G., Davis E. J.: Cognitive function during moderate hypoxaemia, 180

Noninvasive assisted ventilation in hypercapnic respiratory failure: Parkes S. C., Bersten A. D., Holt A. W., Vedig A. E., Worthley L. L. 111

Noninvasive monitoring of tidal volume with an extensometer: Laboratory and clinical studies: Brimacombe J., 62

Norris M. C.: (C), 900

Nott M. R., Al Hajaj W. H.: Anaesthesia for urinary diversion with ileal conduit in a patient with Morquio-Brailsford syndrome, 879

Nozaki N., Oka T., Kochi T., Taguchi N., Mizuguchi T.: Apnoea and oximetric desaturation in patients receiving epidural morphine after gastrectomy, 292

Nunez J.: (C), 251

Nusbacher J.: see Olstanger D., 429

Nussey A.: see Bond A., 358

O'Brien H. D.: Historical note: Halothane: Ave Atque Vale, 101

O'Connell P.: see Smith K., 700

O'Connell T .: (R), 485

O'Meara M. E .: (C), 261

See Gin T., 420

Obesity and difficult intubation: Bond A., 828

Odeh M.: (C), 888

Oesophageal intubation: an analysis of 2000 incident reports: Holland R., Webb R. K., Runciman W. B., 608

Ogden P.: (C), 249

Oh T. E .: see Chui P. T., 163

Oka T.: see Nozaki N., 292

Olsfanger D., Jedeikin R., Metser U., Nusbacher J., Gepstein R.: Acute normovolaemic haemodilution and idiopathic scoliosis surgery: effects on homologous blood requirements, 429

One hundred sciatic nerve blocks: a comparison of localisation techniques: Davies M. J., McGlade D. P., 76

Osborne A.: see Carter B., 209

See Tibballs J., 844

Osborne G. A.: see Van der Walt J. H., 650

Webb R. K., Runciman W. B.: Patient awareness during anaesthesia: an analysis of 2000 incident reports, 653

Rudkin G. E.: Outcome after day-care surgery in a major teaching hospital, 822

Outcome after day-care surgery in a major teaching hospital: Osborne G. A., Rudkin G. E., 822

Overton J. H.: see Henderson M. A., 324

Owen H.: see Russell A. W., 174

See Mackey N. A., 204

Oxygen analyser, the: applications and limitations-an analysis of 2000 incident reports: Barker L., Webb R. K., Runciman W. B., Van der Walt J. H., 570

Oxygen saturation, calculated, in intensive care, a comparison between direct and calculated: Johnson P. A., Bihar D. J., Raper R. F., Haughton M. A., Fisher M. M., Herkes R. G., 72

Ozyurda U.: see Tulunay M., 50

Paech M. J.: The influence of adrenaline on postoperative analgesia after subarachnoid morphine, 79

Paediatric incidents in anaesthesia: an analysis of 2000 incident reports: Van der Walt J. H., Sweeney D. B., Runciman W. B., Webb R. K., 655

Page D.: (C), 127

Palazzo M. G. A.: see Vyvyan H. A. L., 344 (C), 888

Palliative care in Australia: Pollard B., 97

Paracetamol, prophylactic, for analgesia after vaginal termination of pregnancy: Cade L., Ashley J., 93

Parental attitudes to presence at induction of paediatric anaesthesia: Henderson M. A., Baines D. B., Overton J. H., 324

Parkes S. C., Bersten A. D., Holt A. W., Vedig A. E., Worthley L. I.: Noninvasive assisted ventilation in hypercapnic respiratory failure,

Patient awareness during anaesthesia: an analysis of 2000 incident reports: Osborne G. A., Webb R. K., Runciman W. B., 653

Patient-controlled analgesia, background infusion with: effect on postoperative oxyhaemoglobin saturation and pain control: Russell A. W., Owen H., Ilsley A. H., Kluger M. T., Plummer J. L., 174 Paull J.: (C), 251

Peacock J.: see Valentine S., 304

Peake S.: Monoclonal antibodies—immunotherapy for the critically

Perfusion, cardiopulmonary bypass practices in Australia in 1992: Wajon P. R., Walsh R. G., Symons N. L. P., 814

Pethedine or ketorolac, intramuscular, analgesia after caesarean section with: Gin T., Kan A. R., Lam K. K., O'Meara M. E., 420 Petring O. U., Blake D. W.: Gastric emptying in adults: An overview related to anaesthesia, 774

Peyton P.: (C), 248

Phenytoin-induced resistance to vecuronium: Platt P. R., Thackray N. M., 185

Phillips G.: (R), 135

(R), 381

(R), 724

Phua W. T.: see Tweed W. A., 806

Physical injuries and environmental safety in anaesthesia: an analysis of 2000 incident reports: Singleton R. J., Ludbrook G. L., Webb R. K., Fox M., 659

Plasma and plasma components, adverse reactions to: Isbister J. P., 31 Platt P. R., Thackray N. M.: Phenytoin-induced resistance to vecuronium, 185

Plummer J. L.: see Russell A. W., 174

See Mackey N. A., 204

Pneumothorax, bilateral, associated with laparoscopic cholecystectomy: Woolner D. F., Johnson D. M., 108

Pneumothorax: an analysis of 2000 incident reports: Williamson J. A., Webb R. K., Van der Walt J. H., Runciman W. B., 642 Pollard B.: Palliative care in Australia, 97

Anaesthetists and euthanasia, 442

Pollock A. N.: (C), 894

Pollock N.: (C), 255

(C), 478

Post dural puncture headache following caesarean section, the Sprotte needle and: Ross A. W., Greenhalgh C., McGlade D. P., Balson I. G., Chester S. C., Hutchinson R. C., Ashley J. E., 280

Postoperative residual curarisation: incidence, aetiology and associated morbidity: Shorten G. D., 782

Postoperative amiodarone pulmonary toxicity: Morrow B., Shorten G. D., Sylvester W., 361

Powell J. A., Maycock E. J.: Anaphylactoid reaction to ranitidine in an obstetric patient, 702

Powell J. F.: (C), 892

Power B.: see van Heerden P., 447

Power B. M.: see van Heerden P., 876

Preoxygenation, arterial desaturation during induction with and without: evaluation of four techniques: Kashyap L., Yaddanapudi L. N., Sandhya, 811

Pressure support, efficacy of in compensating for apparatus work: Bersten A. D., Rutten A. J., Vedig A. E., 67

Priapism, treatment of with epidural anaesthesia: Corke P. J., Watters G. R., 882

Problems associated with vascular access: an analysis of 2000 incident reports: Singleton R. J., Webb R. K., Ludbrook G. L., Fox M., 664

Problems before induction of anaesthesia: an analysis of 2000 incident reports: Ludbrook G. L., Webb R. K., Fox M., Singleton R. J., 593

Problems related to the endotracheal tube: an analysis of 2000 incident reports: Szekely S. M., Webb R. K., Williamson J. A., Russell W. J., 611

Problems with regional anaesthesia: an analysis of 2000 incident reports: Fox M., Webb R. K., Singleton R., Ludbrook G., Runciman W. B., 646

Problems with ventilation: analysis of 2000 incident reports: Russell W. J., Webb R. K., Van der Walt J. H., Runciman W. B., 617 Prophylactic paracetamol for analgesia after vaginal termination of

pregnancy: Cade L., Ashley J., 93

Pulse Oximeter, the: applications and limitations—an analysis of 2000 incident reports: Runciman W. B., Webb R. K., Barker L., Currie

Quality assessment in personal anaesthetic practice: Boyle R. K., 331 Ramzan I. M.: see Keneally J. P., 197

Ranitidine, anaphylactoid reaction to in an obstetric patient: Powell J. A., Maycock E. J., 702

Rankin J. M.: see Watkins D. N., 861

Raper R. F.: see Johnson P. A., 72

Recovery room incidents in the first 2000 incident reports: van der Walt J. H., Webb R. K., Osborne G. A., Morgan C., Mackay P., 650 Red cell, plasma and albumin transfusion decision triggers: Nicholls M. D., Whyte G., 156

Regional anaesthesia, problems with: an analysis of 2000 incident reports: Fox M. A. L., Webb R. K., Singleton R. J., Ludbrook G. L., Runciman W. B., 646

Relationship between body mass index and the distance of the epidural space from the skin, the influence of obesity on, 309

Renal function following cardiac surgery, effect of "renal-dose" dopamine on: Myles P. S., Buckland M. R., Schenk N. J., Cannon G. B., Langley M., Davis B. B., Weeks A. M., 56

Respiratory failure, hypercapnic, noninvasive assisted ventilation in: Parkes S. N., Bersten A. D., Holt A. W., Vedig A. E., Worthley L. I., 111

Resuscitation, asystolic cardiopulmonary, high dose adrenaline in adults in hospital-a double-blind randomised trial: Lipman J., Wilson W., Kobilski S., Scribante J., Lee C., Kraus P., Cooper J., Barr J., Moyes D., 193

Richards J.: The Geoffrey Kaye Oration, 227

Riley R. H.: (C), 474

(C), 720

Bowers A. J., Grey P. L.: Early use of streptokinase after minor laryngeal surgery, 871

Risk information, anaesthetic; statistical: the effects of providing

preoperative: Inglis S., Farnill D., 799

Robbins R.: (C), 482

Roberts J. G.: Editorial; And Now We Are Twenty, 9

Editorial: Safety standards and their promotion, 502

Editorial: Substance abuse in anaesthetic staff: the kraken wakes,

Editorial Note: Nigerian Scam, 122

Roberts R.: (C), 123

Robinson B. J.: see Treuren B. C., 337

Rocke D. A.: (C), 260

(C), 378

Rosewarne F.: (C), 252

Rosewarne F. A.: (C), 722

Ross A.: (C), 126

(C), 890

Ross A. W., Greenhalgh C., McGlade D. P., Balson I. G., Chester S. C., Hutchinson R. C., Ashley J. E.: The Sprotte needle and post dural puncture headache following caesarean section, 280

Rounsefell B.: (R), 725 Rout C. C .: (C), 260

(C), 378

Rowbottom S. J.: (C), 132

Wilson J., Samuel L., Grant I. S.: Total oesophageal obstruction in association with combined enteral feed and sucralfate therapy, 372

Rudkin G. E.: see Osborne G. A., 822

Runciman W. B.: Editorial: Qualitative versus quantitative researchbalancing cost, yield and feasibility, 502

See Holland R., 505

Sellen A., Webb R. K., Williamson J. A., Currie M., Morgan C., Russell W. J.: Errors, incidents and accidents in anaesthetic practice,

See Webb R. K., 520

See Webb R. K., 529

Webb R. K., Barker L., Currie M.: The pulse oximeter: applications and limitations—an analysis of 2000 incident reports, 543

See Barker L., 570

Webb R. K., Klepper I. D., Lee R., Williamson J. A., Barker L.: Crisis management—validation of an algorithm by analysis of 2000 incident reports, 579

See Currie M., 596

See Holland R., 608 See Russell W. J., 617

See Williamson J. A., 638

See Williamson J. A., 642

See Fox M., 646

See Osborne G. A., 653

See Van der Walt J. H., 655

See Clayton D. G., 670

See Webb R. K., 673

See Williamson J. A., 678

Webb R. K., Lee R., Holland R.: System failure: an analysis of 2000 incident reports, 684

Russell A. W., Owen H., Ilsley A. H., Kluger M. T., Plummer J. L.: Background infusion with patient-controlled analgesia: effect on postoperative oxyhaemoglobin saturation and pain control, 174

Russell W. J.: (R), 266 Russell W. C.: see Maycock E. J., 211

Russell W. J.: see Runciman W. B., 506

See Webb R. K., 520

See Webb R. K., 529

See Ludbrook G. L., 558

See Currie M., 596

See Szekely S. M., 611

Webb R. K., Van der Walt J. H., Runciman W. B.: Problems with ventilation: an analysis of 2000 incident reports, 617

See Currie M., 621

See Williamson J. A., 638

See Webb R. K., 673

Rutten A. J.: see Bersten A. D., 67

Sadler P.: (C), 482

Safety procedures, evaluation of in anaesthesia and intensive care:

Anaesthesia and Intensive Care, Vol. 21, No. 6, December, 1993

Clayton D. G., Barker L., Runciman W. B., 670

Sakimura S.: see Kawamoto M., 218

Salamonsen R.: (R), 903

Samuel L.: see Rowbottom S. J., 372

Sandhya: see Kashyap L., 811

Santhosh Kumar T. P., Jacob R.: A comparison of caudal epidural bupivacaine with adrenaline and bupivacaine with adrenaline and pethidine for operative and postoperative analgesia in infants and children, 424

Scarf M.: (C), 253

Scavenged autologous blood transfusion, a fatal reaction following: Azzopardi N., Yabri M., 335

Schenk N. J.: see Myles P. S., 56

Sciatic nerve blocks, one hundred: a comparison of localisation techniques: Davies M. J., McGlade D. P., 76

Scott D. A., Beilby D. S.: Epidural catheter insertion: the effect of saline prior to threading in non-obstetric patients, 284 See Deam R. K., 455

Scribante J.: see Lipman J., 192

Sellen A.: see Runciman W. B., 506

See Currie M., 596

See Williamson J. A., 678

Sendall J.: (C), 255

(C), 478 (C), 894

Seshadri P.: (R), 265

Severe postoperative shivering and hypoglycaemia: Sun K. O., 873 Shivering and hypoglycaemia, severe postoperative: Sun K. O., 873 Shorten G. D.: see Morrow B., 361

Postoperative residual curarisation: incidence, aetiology and associated morbidity, 782

Silbert B. S.: see Davies M. J., 790

Sims C .: (C), 124

Singleton R.: see Fox M., 646

Singleton R. J.: see Ludbrook G. L., 593

Ludbrook G. L., Webb R. K., Fox M.: Physical injuries and environmental safety in anaesthesia: an analysis of 2000 incident

Webb R. K., Ludbrook G. L., Fox M.: Problems associated with vascular access: an analysis of 2000 incident reports, 664

Smith C. L., Frawley G., Hamer A.: Diathermy and the Telectronics "META" pacemaker, 452

Smith J.: (C), 127

Smith K., Halliwell R. M. T., Lawrence S., Klineberg P. L., O'Connell P.: Acute renal failure associated with ketorolac, 700

Sparks C. J.: Ludwig's angina causing respiratory arrest in a patient in the Solomon Islands, 460

Spinal cord trauma, cervical, transient increase of parasympathetic tone in patients with: Kawamoto M., Sakimura S., Takasaki M., 218 Spontaneous clostridium perfringens lung abscess unresponsive to

penicillin: Baldwin L., Henderson A., Wright M., Whitby M., 117

Stacey M.: (C), 887

Stethoscope, the: applications and limitations—an analysis of 2000 incident reports: Klepper I. D., Webb R. K., Van der Walt J. H., Ludbrook G. L., Cockings J., 575

Story D. A.: see Machlin H. A., 409

Stott S.: (C), 891

Streptokinase, early use of after minor laryngeal surgery: Riley R. H., Bowers A. J., Grey P. L., 871

Strychnine poisoning-alive and well in Australia!: van Heerden P., Edibam C., Auguston B., Thompson W. R., Power B. M., 876 Subdural haematomas, iatrogenic bilateral: a diagnostic pitfall: Baldwin L. N., Galizia E. J., 120

Sucralfate therapy, total oesophageal obstruction in association with combined enteral feed and: Rowbottom S. J., Wilson J., Samuel L., Grant I. S., 372

Sudden onset unilateral pulmonary oedema during thoracotomy: Vyvyan H. A. L., Palazzo M. G. A., 344

Sun K. O.: (C), 125

(C), 250 (C), 258

Central anticholinergic syndrome following reversal of

neuromuscular blockade, 363

Bronchospasm after esmolol and neostigmine, 457

Severe postoperative shivering and hypoglycaemia, 873

Sutherland R. W.: (C), 130

Svahn O.: (C), 259 Swan H.: see Brimacombe J., 224

Sweeney D. B.: see Van der Walt J. H., 655

Sylvester W.: see Morrow B., 361

Symons N. L. P.: see Wajon P. R., 814

Symposium: Hazards of blood transfusion. Editorial: How safe is blood?: Nicholls M. D., 13

Syntocinon, anaphylactoid reaction to: Maycock E. J., Russell W. C.,

System failure: an analysis of 2000 incident reports: Runciman W. B., Webb R. K., Lee R., Holland R., 684

Szekely S.: see Williamson J. A., 602

Szekely S. M., Webb R. K., Williamson J. A., Russell W. J.: Problems related to the endotracheal tube: an analysis of 2000 incident reports, 611

Tabrizian I.: (C), 132

Taguchi N.: see Nozaki-Taguchi N., 292

Takasaki M.: see Kawamoto M., 218

Tastan S.: see Tulunay M., 50

Tay D. H. B.: see Chan S. Y., 414

Tayler S.: (C), 250

Taylor J. N.: (C), 474

Teviotdale B.: (C), 721

Teviotdale B. M.: Vecuronium-thiopentone induction for emergency caesarean section under general anaesthesia, 288

Thackray N. M.: see Platt P. R., 185

The "wrong drug" problem in anaesthesia: an analysis of 2000 incident reports: Currie M., Mackay P., Morgan C., Runciman W. B., Russell W. J., Sellen A., Webb R. K., Williamson J. A., 596

The Australian Incident Monitoring Study: an analysis of 2000 incident reports: Webb R. K., Currie M., Morgan C. M., Williamson J. A., Mackay P., Russell W. J., Runciman W. B., 520

The baron and severe sepsis-a clinical model of self-induced endotoxaemia: van Heerden P., Power B., Jenkins I. R., 447 The capnograph: applications and limitations—an analysis of 2000

incident reports: Williamson J. A., Webb R. K., Cockings J., Morgan C., 551

The diagnosis of fatal anaphylactic reactions during anaesthesia: employment of immunoassays for mast-cell tryptase and drugreactive IgE antibodies: Fisher M., Baldo B. A., 353

The effects of providing preoperative statistical anaesthetic-risk information: Inglis S., Farnill D., 799

The electrocardiograph: applications and limitations—an analysis of 2000 incident reports: Ludbrook G. L., Russell W. J., Webb R. K., Klepper I. D., Currie M., 558

The Geoffrey Kaye Oration: Richards J., 227

The influence of adrenaline on postoperative analgesia after subarachnoid morphine: Paech M. J., 79

The influence of obesity on the relationship between body mass index and the distance of the epidural space from the skin: Watts R. W., 309

The laryngeal mask airway—the first ten years: Brimacombe J., Berry A., 225

The oxygen analyser: applications and limitations—an analysis of 2000 incident reports: Barker L., Webb R. K., Runciman W. B., Van der Walt J., 570

The pulse oximeter: applications and limitations—an analysis of 2000 incident reports: Runciman W. B., Webb R. K., Barker L., Currie M., 543

The role of nitric oxide (formerly endothelium-derived relaxing factor(EDRF) in vasodilatation and vasodilator therapy: Tibballs

The Sprotte needle and post dural puncture headache following caesarean section: Ross A. W., Greenhalgh C., McGlade D. P., Balson I. G., Chester S. C., Hutchinson R. C., Ashley J. E., 280

The stethoscope: applications and limitations—an analysis of 2000 incident reports: Klepper I., Webb R. K., Van der Walt J., Ludbrook G. L., Cockings J., 575

The systolic blood pressure variation as an indicator of pulmonary capillary wedge pressure in ventilated patients: Marik P. E., 405

The training/examination programme in intensive care, Australian and New Zealand College of Anaesthetists 2. Examination: Harrison G. A., Clarke G. M., 848

Re, Australian and New Zealand College of Anaesthetists 1. Training: Clarke G. M., Harrison G. A., 854

Thirlwell Jones J.; Editorial: Disk submissions, 279

Thomas E.: see Chan S. Y., 414

Thompson W. R.: see van Heerden P., 876

Thomson A. R.: Leukodepleted blood components, 39

Thomson J. P. S.: (C), 376

Thoratec ventricular assist device, transoesophageal echocardiography aids insertion and management of the: Buckland M. R., Bergin P., Esmore D., 344

Tibballs J., Hochmann M., Carter B., Osborne A.: An appraisal of techniques for administration of gaseous nitric oxide, 844 Clinical applications of gaseous nitric oxide, 866

The role of nitric oxide (formerly endothelium-derived relaxing factor (EDRF) in vasodilatation and vasodilator therapy, 759

Tidal volume, lung hyperinflation and arterial oxygenation during general anaesthesia: Tweed W. A., Phua W. T., Chong K. Y., Lim E. T., Lee T. L., 806

Toft P.: see Tønnesen E., 752

Tønnesen E., Hansen M. B., Höhndorf K., Diamant M., Bendtzen K., Wanscher M., Toft P.: Cytokines in plasma and ultrafiltrate during continuous arteriovenous haemofiltration, 752

Total oesophageal obstruction in association with combined enteral feed and sucralfate therapy: Rowbottom S. J., Wilson J., Samuel L., Grant I. S., 372

Towards optimal analgesia after caesarean section: comparison of epidural and intravenous patient-controlled opioid analgesia: Cade L., Ashley J., 696

Towler S. C. B.: (C), 375

Tracheal transection, traumatic: Waldron R. J., Young R. J., 105
Transfusion decision triggers, red cell, plasma and albumin: Nicholls
M. D., Whyte G., 156

Transfusion-transmitted infection: viral and exotic diseases: Wylie B. R., 24

Transfusion: Morbidity and mortality: Nicholls M. D., 15

Transient increase of parsympathetic tone in patients with cervical spinal cord trauma: Kawamoto M., Sakimura S., Takasaki M., 218 Transoesophageal echocardiography aids insertion and management

of the "Thoratec" ventricular assist device: Buckland M. R., Bergin P., Esmore D., 344

Traumatic tracheal transection: Waldron R. J., Young R. J., 105

Treatment of priapism with epidural anaesthetic: Corke P. J., Watters G. R., 882

Trethowen L.: (C), 128

Treuren B. C., Yusuf A., Galletly D. C., Robinson B. J.: A comparison of three ported cannulae available in New Zealand, 337

Trubuhovich R.: (R), 484

Tuck M.: (C), 252

Tulunay M., Demiralp S., Tastan S., Akalin H., Ozyurda U., Corapcioglu T., Akarsu E. S.: Complement (C3, C4) and C-reactive protein responses to cardiopulmonary bypass and protamine administration, 50

Tweed W. A., Phua W. T., Chong K. Y., Lim E. T., Lee T. L.: Tidal volume, lung hyperinflation and arterial oxygenation during general anaesthesia, 806

Tyers M.: (C), 253

Tyers M. R.: (C), 886

Upper limb amputation following radial artery cannulation: Bright E., Baines D. B., French B. G., Cartmill T. B., 351

Use of new syringe pump (springfusor) for muscle relaxant infusion: Eagle C. C. P., Capes D. F., 444

Vaginal termination of pregnancy, prophylactic paracetamol for analgesia after: Cade L., Ashley J., 93

Valentine S., Barrowcliffe M., Peacock J.: A comparison of effects of fixed and tailored cardiopulmonary bypass flowrates on renal function, 304

Van Duren P.: (C), 475

Van der Walt J.: see Barker L., 570

See Klepper I., 575

Van der Walt J. H.: see Webb R. K., 529

Vascular access, problems associated with: an analysis of 2000 incident reports: Singleton R. J., Webb R. K., Ludbrook G., Fox M. A. L., 664

Vecuronium, phenytoin-induced resistance to: Platt P. R., Thackray N. M., 185

Vecuronium-thiopentone induction for emergency caesarean section under general anaesthesia: Teviotdale B. M., 288

Vedig A. E.: see Bersten A. D., 67

See Parkes S. C., 111

Ventilation, problems with: an analysis of 2000 incident reports: Russell W. J., Webb R. K., Van der Walt J. H., Runciman W. B., 617 Victory R., Casey W., Doherty P., Breathnach F.: Cardiac and respiratory complications of mediastinal lymphomas, 366 (C). 887

Vyvyan H. A. L., Palazzo M. G. A.: Sudden onset unilateral pulmonary oedema during thoracotomy, 344 (C), 888

Van der Walt J. H.: see Russell W. J., 617

See Williamson J. A., 642

Webb R. K., Osborne G. A., Morgan C., Mackay P.: Recovery room incidents in the first 2000 incident reports, 650

Sweeney D. B., Runciman W. B., Webb R. K.: Paediatric incidents in anaesthesia: an analysis of 2000 incident reports, 655 See Williamson J. A., 678

van Heerden P., Power B., Jenkins I. R.: The baron and severe sepsis—a clinical model of self-induced endotoxaemia, 447

van Heerden P., Edibam C., Augustson B., Thompson W. R., Power B. M.: Strychnine poisoning—alive and well in Australia!, 876 Wajon P. R., Walsh R. G., Symons N. L. P.: A survey of cardio-pulmonary bypass perfusion practices in Australia in 1992, 814

Waldron R. J., Young R. J.: Traumatic tracheal transection, 105 Kawasaki disease and anaesthesia, 213

Walpole B.: (R), 264

Walsh R. G.: see Wajon P. R., 814

Wanscher M.: see Tønnesen E., 752

Warm local anaesthetic—effect on latency of onset of axillary brachial plexus block: Chilvers C. R., 795

Watkins D. N., Jenkins I. R., Rankin J. M., Clarke G. M.: Inhaled nitric oxide in severe acute respiratory failure—its use in intensive care and description of a delivery system, 861

Watters G. R.: see Corke P. J., 882

Watterson L.: (R), 902

Watts R. W.: The influence of obesity on the relationship between body mass index and the distance of the epidural space from the skin, 309

Webb I.: (C), 895

Webb R. K.: see Runciman W. B., 506

Currie M., Morgan C. M., Williamson J. A., Mackay P., Russell W. J., Runciman W. B.: The Australian Incident Monitoring Study: an analysis of 2000 incident reports, 520

Van der Walt J. H., Runciman W. B., Williamson J. A., Cockings J., Russell W. J., Helps S.: Which monitor? an analysis of 2000 incident reports, 529

See Runciman W. B., 543

See Williamson J. A., 551

See Ludbrook G. L., 558

See Cockings J. G. L., 565

See Barker L., 570

See Klepper I., 575

See Runciman W. B., 579

See Ludbrook G. L., 593

See Williamson J. A., 602 See Holland R., 608

See Szekely S. M., 611

See Russell W. J., 617

See Currie M., 621

See Morgan C. A., 626

See Williamson J. A., 638

See Williamson J. A., 642

See Fox M. 646

See Van der Walt J. H., 650

See Osborne G. A., 653

See Van der Walt J. H., 655 See Singleton R. J., 659

See Singleton R. J., 664

Russell W. J., Klepper I., Runciman W. B.: Equipment failure: an analysis of 2000 incident reports, 673

See Williamson J. A., 678

See Runciman W. B., 684

Webb R. K., Williamson J. A.: see Currie M., 596

Weeks A. M.: see Myles P. S., 56

Buckland M.R., Morgan E. B., Myles P. S.: Chemical dependence in anaesthetic registrars in Australia and New Zealand, 151

Weller-Ash nitrous oxide apparatus, the: Westhorpe R., 493

Westhoff F. P.: (C), 720

Westhorpe R.: Cover Note-Cattlin's bag and Clover's facepiece for nitrous oxide anaesthesia, 3

Cover Note-Hewitt's stopcock for nitrous oxide anaesthesia, 143 Cover Note-The Weller-Ash nitrous oxide apparatus, 493

Which monitor? an analysis of 2000 incident reports: Webb R. K., Van der Walt J. H., Runciman W. B., Williamson J. A., Cockings J., Russell W. J., Helps S., 529

Whitby M.: see Baldwin L., 117

Whitby M. E., Hellings M. J.: Massive intraoperative pulmonary thromboembolism treated by pulmonary embolectomy, 342

"Whoosh test" as a teaching aid in caudal block: Chan S. Y., Tay D. H. B., Thomas E., 414 Whyte G.: see Nicholls M. D., 156

Williamson J. A.: see Runciman W. B., 506

See Webb R. K., 520

See Webb R. K., 529

Webb R. K., Cockings J., Morgan C.: The capnograph: applications and limitations-an analysis of 2000 incident reports, 551

See Runciman W. B., 579

Webb R. K., Szekely S., Gillies E. R. N., Dreosti A. V.: Difficult intubation: an analysis of 2000 incident reports, 602

See Szekely S. M., 611

See Currie M., 621

See Morgan C. A., 626

Webb R. K., Russell W. J., Runciman W. B.: Air embolism-an analysis of 2000 incident reports, 638

Webb R. K., Van der Walt J. H., Runciman W. B.: Pneumothorax: an analysis of 2000 incident reports, 642

Webb R. K., Sellen A., Runciman W. B., van der Walt J. H.: Human failure: an analysis of 2000 incident reports, 678

Williamson R.: (C), 896

Wilson J.: see Rowbottom S. J., 372

Wilson W.: see Lipman J., 192

Witcombe K.: (C), 482

Woolner D. F., Johnson D. M.: Bilateral pneumothorax and surgical emphysema associated with laparoscopic cholecystectomy, 108

Worthley L. I.: see Parkes S. C., 111

Wright G.: see Yam P. I., 450

Wright M.: see Baldwin L., 117

Wrong drug problem in anaesthesia, the: an analysis of 2000 incident reports: Currie M., Mackay P., Morgan C., Runciman W. B., Russell W. J., Sellen A., Webb R. K., Williamson J. A., 596

Wylie B. R.: Transfusion-transmitted infection: viral and exotic diseases, 24

Yabri M.: see Azzopardi N., 335

Yaddanapudi L. N.: see Kashyap L., 811

Yam P. I., van Heerden N. V., Wright G.: Anaesthesia for aortoesophageal fistula, 450

Yang W. T., Daly B. D., Li E. K., Hutchinson R.: Cranial computed tomography in the assessment of neurological complications in critically ill patients with systemic lupus erythematosus, 400

Young R. J.: see Waldron R. J., 105

Yusuf A.: see Treuren B. C., 337

